



IR FLASH CURE

Environment Friendly Engineering Solution Company



www.kerone.com

In Association with SVCH-Technologii, Moscow (Russia)

ISO 9001:2015 | ISO 14001:2015 | EMS 14001 | OHSAS 18001:2007

About Kerone

KERONE now renowned name in serving specialized need of customers with best quality and economical process Heating /cooling and drying products, manufactured in high quality environment by well trained and qualified workforce(special purpose machineries) .

KERONE is pioneer in application and implementation engineering with its vast experience and team of professionals. KERONE is devoted to serve the industry to optimize their operations both economically and environmentally with its specialized heating and drying solutions.


“Enhance the value of customer operation through our customer need centric engineering solution”

Mission

- To enhance the value of customer operation through our customer need centric engineering solution.
- We are committed to provide our customers, unique and best in class products in Industrial heating, drying and cooling segment, with strategic tie-up for the technical know-how with renowned leader in the industry specific segment.

Vision

- Turn into world leader in providing specialized, top-notch quality and ecological industrial heating, cooling and drying solution across the globe.
- To attain global recognition as best of quality and environment friendly engineering solution company.



Introduction to IR Flash Cure

The wide experience had made KERONE specialized in designing, manufacturing and export of various Infrared Flash cure dryer with different specifications.

Infrared Flash cure dryers manufactured by KERONE is economical, robust, build to fit in the process and last of the long time. Infrared (IR) flash cure dryers (best suited for Textile, Garment Printing, screen printing) that is equipped with auto and manual switches.

Designed and manufactured to meet the international quality standards, our range is commended for best performance and robustness. Control panel is provided to set and control the process

Features

- Height adjustment for heating panel should be parallel to the pallet
- Auto, manual switches
- Control panel on battery
- Timer, controller
- Caser wheels (brake wheels 2 No) nylon wheels
- Remote start pulse
- Height variation up to 250 mm from pallet
- Distance between pallet to floor lever app. Height 35"
- Cooling fans with high volume, pressure



kerone/ir-flash-cure

www.kerone.com/infrared-heating-equipments/ir-flash-cure.php

Trusted Partner



Our Clients



Kerone Engineering Solutions Limited

UNIT I

B/10, Marudhar Industrial Estate, Goddev Fatak road, Bhayander(E), Mumbai-401105

EMAIL

info@kerone.com | sales@kerone.com
marketing@kerone.com

UNIT II

Plot No. B-47, Addl. MIDC Anandnagar, Ambernath (East), Dist. Thane- 421506

WEBSITE

www.kerone.com | www.kerone.net
www.keroneindia.com

UNIT III

Plot NO. W-104, Addl. MIDC Anandnagar, Ambernath East, Thane- 421506. (India)

Phone

+91-22-28150612/13/14
+91-251-2620542/43/44/45/46